

Replacement Density Sand

BS 1377-9:1990

Standard sand for in-situ soil testing, sand replacement method in accordance with BS 1377-9: 1990. Complying with Clause 2.1.3 and Clause 2.2.3.

Description:	Geological Classification and Source: Washed, dried and closely graded Standard Silica of consistent bulk density. Lower Greensands, Beds. UK.		
Particle Shape:	Rounded to sub-angular.		
Colour:	Silver to pale buff.		
Grading:	100% passing 600µm		*
	100% retained 63µm		*

*Note: If less than 1% is retained on 600µm and less than 1% passes 63µm the material shall be deemed to comply with the Standard.

Material generally free from flaky particles, silt, clay and organic matter.
Supplied clean and dry in 25kg bags or plastic containers or to customers' requirements.