


Note:-

This PUDLO detail is to assist with the installation of its products. The detail shows how PUDLO CWP Modified Concrete and how PUDLO ancillaries are to be installed. For site specific details and confirmation on extent of where PUDLO CWP Modified Concrete is used i.e. Overlay drawings, must be confirmed by structural engineers/contractor. Individual/Company responsibility for design of the structure must ensure that details shown on PUDLO drawings match the latest construction issue drawings.

The information shown on this detail is given without obligation, or warranty PRIOR to consultation or communication with PUDLO/DB Group Ltd.



Part of the DB Group

Revision History				
DATE	DESCRIPTION	REV.	DES.	Q.C.
02/06/20	Cavity Tray changed to <b>PUDLO GB DPC</b> .	A	HR	LL
12/08/19	First issue.	-	HR	LL

**DB Group (Holdings) Ltd**  
 Wellington Way, Bourn Airfield  
 Cambridge, CB23 2TQ  
 Tel: +44 (0)1954 780687 Email: sales@pudlo.com  
 www.dbgholdings.com/pudlo

DRAWING TITLE <b>G/F RC SLAB TO DPC DETAIL</b>	PROJECT -
STATUS <b>FOR INFO</b>	SCALE <b>1:10 on A4</b>
DRAWING NUMBER <b>PUDLO-TJD-GBSF-001</b>	REVISION <b>A</b>
CLIENT	SHEET No. <b>1 of 1</b>

COPYRIGHT: Not to be reproduced without written permission

**A4**

PUDLO/DB Group  
STD Jan 2019 v1